



Description

Tork Advanced 3-Panel Multifold Hand Towels provide the right combination of quality, performance and value. Multifold design provides for less towel consumption leading to source reduction, storage space savings, and lower overall costs. Ideal for medium traffic washrooms, fits small spaces and provides both comfort and hygiene to your guests. Structured Towel.

- Environmental Label
- Fast absorbency helps to control usage: Reduces waste and maintenance time
- Embossing enhances hand feel and maximizes absorbency
- Strong and absorbent
- General public use
- Tork Easy Handling ® Packaging
- Advanced

Product Certifications



Product Details

| | |
|-----------------|--------------|
| Print | No |
| Unfolded Width | 9 in |
| Folded width | 9 in |
| Embossing | No |
| Folded length | 3.2 in |
| Ply | 1 |
| Unfolded length | 9.5 in |
| System | H2 |
| Color | White, White |

Shipping Data

| | Consumer Units (CON) | Transport unit (TRP) | Pallet (PAL) |
|--------------------|----------------------|----------------------|-----------------|
| EAN | 73286656292 | 10073286656299 | 7322541149196 |
| Packaging Material | Sleeve | Carton | - |
| Pieces | 250 | 16 (16 CON) | 240000 (60 TRP) |
| Height | 9.09 in | 9.75 in | 97.5 in |
| Length | 6.02 in | 24.38 in | 48.75 in |
| Width | 3.35 in | 13.63 in | 40.88 in |
| Gross Weight | | 15.64 lb | 938.24 lb |
| Net Weight | 0.89 lb | 14.25 lb | 855 lb |
| Volume | 0.11 ft | 1.87 ft | 112.43 ft |
| Layers Per Pallet | - | - | 10 |
| TRP Per Layer | - | - | 6 |

Compatible Products



DISP H2 HAND TWL INTERFOLD
WHT 1/CS
553020



DISP H2 HAND TWL INTERFOLD
BLK 1/CS
553028



DISP H2 HAND TWL MINI INTERFOLD
WHT 1/CS
553120



DISP H2 ELEV XPRESS MINI BLK
1/CS
553128

Environmental Information

| | |
|-----------|---|
| Content | <p>The product is made from</p> <p>Virgin pulp</p> <p>The packaging material is made from paper or plastic.</p> |
| Material | <p>Virgin fibers</p> <p>There are different methods used today for bleaching: ECF (elementary chlorine free, where chlorine dioxide is used, and TCF (totally chlorine free) where ozone, oxygen and hydrogen peroxide is used.</p> <p>Virgin pulp fibers are produced out of softwood or hardwood. The wood is subject to chemical and/or mechanical processes where the cellulose fibers are separated out and lignin and other residuals are removed.</p> <p>Bleaching is a cleaning process of the fibers and the aim is to achieve a bright pulp, but also to get a certain purity of the fiber in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety.</p> |
| Chemicals | <p>All chemicals (process aids as well as additives) are assessed from an environmental, occupational health and safety and product safety point of view.</p> <p>To control product performance we use additives:</p> <ul style="list-style-type: none">• Wet strength agents (for Wipers and Hand Towels)• Dry strength agents (is used together with mechanical treatment of the pulp to make strong products like wipers)• For colored papers dyes and fixatives (to secure perfect fastness of the color) are added• For printing products printing inks (pigments with carriers and fixatives) are applied• For multi ply products we often use water soluble glue to secure the integrity of the product <p>In most of our mills we do not add optical brighteners.</p> <p>We do not use softeners for professional hygiene products.</p> <p>High product quality is secured through quality and hygiene management systems throughout production, storage and transport.</p> <p>In order to maintain a stable process and product quality the paper manufacturing process is supported by the following chemicals/ process aids:</p> |

Tork Advanced Multifold Hand Towel

424824

- defoamers (surfactants and dispersing agents)
- pH-control (sodium hydroxide and sulphuric acid)
- retention aids (chemicals that help to agglomerate small fibers to prevent fiber loss)
- Coating chemicals (that help to control the creping of the paper to make it soft and absorbent)

To reuse broke we use:

- Pulping aid (chemicals that help to repulp wet strong paper)

In the cleaning of our waste water we use flocculation agents and nutrients for the biological treatment to secure that no negative impact on water quality comes from our mills.

| | |
|---|--|
| Environmental certification | This product is certified for FSC®. |
| Packaging | Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes |
| Article creation date and latest article revision | Date of issue: 10-06-2019 Revision date: 04-12-2024 |
| Production | This product is produced at Harrodsburg - US mill. |
| Destruction | This product is mainly used for personal hygiene and can be collected together with household waste. |

Essity North America Inc., Cira Centre, Suite 2600 2929 Arch Street, Philadelphia, PA 19104, USA